

Civil-NET

CN-228E天線盤

螺牙尺寸皆可通用



搭配超強吸力底座

螺旋孔可用螺牙鎖緊

- 可接收全星系系統GPS/GLONASS/BEIDOU/Galileo
- IP67防水防塵等級
- 支援任何廠牌型號GNSS接收儀主機
- 可選配超強磁力支架基座(自由安裝)

Civil-NET



森泰儀器有限公司
CENTURY INSTRUMENT

地址 台中市西區台灣大道二段105號12樓
電話 0423011000



俯視

平視



5/8-11UNC
 16 ± 0.5
Thread screwing in depth



仰視

俯視

$\phi 151.5 \pm 2$
Air vent



Item		Specifications
Antenna	Frequency	GPS L1/L2/L5 GLONASS G1/G2/G3 BeiDou B1/B2/B3 Galileo E1/L1/E2/E5a/E5b/E6
	Polarization	RHCP
	Axial Ratio	$\leq 3\text{dB}$
	V.S.W.R	≤ 1.5
	Peak Gain	$\geq 5\text{dBi}$
	Impedance	50Ω
	Phase Center Error	$\pm 2\text{mm}$
	Horizontal coverage angle	360°
LNA	Gain	40dB
	Noise Figure	$\leq 1.5\text{dB}$
	Passband fluctuation	$\pm 1.5\text{dB}$
	Supply Voltage	3~12V DC
	Current Consumption	$\leq 50\text{mA}$
	V.S.W.R	≤ 2.0
Mechanical	Connector	TNC-K
	Mounting Material	ASA
	Mounting Method	Screw
Environmental	Operating Temperature	$-40^\circ\text{C} \sim +85^\circ\text{C}$
	Relative Humidity	UP to 95%
	Ingress Protection	IP67(exclude Air vent in screw hole)
	Environmentally Friendly	ROHS Compliant